



Techking Tires Limited

TECHKING TIRES LIMITED

TEL: +86-532-5558-8888

FAX: +86-532-5557-8388

E-mail: info@techking.com

www.techking.com



OTR TIRES BROCHURE

2024 V1.0



ET303+
RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
27.00R49	E4	★★	86	68	223 B	TL	12



ET358
RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
40.00R57	E4	★★	125	99	250 B	TL	6
46/90R57	E4	★★	125	99	252 B	TL	3



SUPER ROCK
RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
27.00R49	E4	★★	103	82	223 B	TL	12



SUPER H
RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
46/90R57	E4	★★	122	97	252 B	TL	3



ET304
RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
27.00R49	E4	★★	103	82	223 B	TL	12
33.00R51	E4	★★	120	95	235 B	TL	8
37.00R57	E4	★★	125	99	246 B	TL	6
40.00R57	E4	★★	125	99	250 B	TL	6
46/90R57	E4	★★	125	99	252 B	TL	3
50/80R57	E4	★★	120	95	257 B	TL	3



ET359
RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
50/80R57	E4	★★	120	95	257 B	TL	3



SUPER TRAC
RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
24.00R35	E4	★★	79	63	209 B	TL	22
27.00R49	E4	★★	93	74	223 B	TL	12
33.00R51	E4	★★	116	92	235 B	TL	8



FORT RDT
RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
24.00R35	E4	★★	79	63	209 B	TL	22



ET355
RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
27.00R49	E4	★★	89	71	223 B	TL	12
30.00R51	E4	★★	98	78	230 B	TL	8
33.00R51	E4	★★	115	91	235 B	TL	8
36.00R51	E4	★★	108	86	241 B	TL	6



ET405
RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
27.00R49	E4	★★	96	76	223 B	TL	12



SUPER RDT
RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
24.00R35	E4	★★	84	67	209 B	TL	22



ETDT
RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
18.00R33	E4	★★	66	52.5	191 B	TL	38
21.00R35	E4	★★	74	58.5	201 B	TL	26
24.00R35	E4	★★	84	66.5	209 B	TL	22
27.00R49	E4	★★	93	74	223 B	TL	12



ETDT2



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
18.00R33	E4	★★	60	47.5	191 B	TL	38
24.00R35	E4	★★	71	56.5	209 B	TL	22



ETRT



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
18.00R25	E4	★★	57	45.5	185 B	TL	44



ET919



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
14.00R25	E3	★★★	31	25	169 B/184 A6	TT/TL	116
18.00R25	E3	★★★	31	25	180 B/193 A6	TT/TL	80



TK619



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
14.00R25	E3	★★★	33	26	169 B/184 A6	TT/TL	110
16.00R25	E3	★★★	40	32	180 B/193 A6	TT/TL	84



ETUL+



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
21.00R33	E4	★★	66	52.5	200 B	TL	26

MINING TRUCK



ETOH



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
14.00R25	E3	★★★	34	27	169 B/184 A6	TT/TL	116
18.00R25	E3	★★★	42	33	190 B	TT/TL	44
480/95R29	E3	★★★	39	31	190 B/204 A2	TT/TL	44
505/95R29	E3	★★★	42	33	190 B/204 A2	TT/TL	44



ETRT9



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
14.00R25	E4	★★★	47	37.5	169 B/184 A6	TT	96



SUPER ETOT



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
16.00R25	E3	★★★	40	32	180 B/193 A6	TT/TL	80



ETSD



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
16.00R25	E3	★★	42	33	177 B	TL	64



ET618



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
14.00R25	E3	★★★	33	26	169 B/184 A6	TT/TL	99



ET609



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
14.00R25	E3	★★★	33	26	169 B/184 A6	TT/TL	124



ET668



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
16.00R25	E3	★★★	34	27	180 B/193 A6	TT/TL	80
460/95R25	E3	★★★	34	27	180 B/193 A6	TT/TL	80



ET919+



Mining Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
16.00R25	E3	★★★	31	25	180 B/193 A6	TT/TL	80
460/95R25	E3	★★★	31	25	180 B/193 A6	TT/TL	80



ET688



Mining Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
16.00R25	E3	★★★	40	32	180 B/193 A6	TT/TL	80
460/95R25	E3	★★★	40	32	180 B/193 A6	TT/TL	80



ETRTV



Mining Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
16.00R25	E4	★★★	53	42	180 B/193 A6	TT/TL	70



ETT



Mining Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
16.00R25	E3	★★★	39	31	180 B/193 A6	TT/TL	80



ETRT



Mining Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
18.00R25	E4	★★★	57	45.5	185 B	TL	44



ETDT2



Mining Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
18.00R33	E4	★★★	60	47.5	191 B	TL	38



ETDT



Mining Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
18.00R33	E4	★★★	66	52.5	191 B	TL	38



PROLHD



LHD

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
12.00R24	L5S	★★	69	55	175 A2	TT	148
14.00R24	L5S	★★	73	58	186 A2	TT	102
17.5R25	L5S	★★	98	78	182 A2	TT/TL	76
18.00R25	L5S	★★	110	87	204 A2	TL	40
26.5R25	L5S	★★	122	97	209 A2	TL	28
29.5R29	L5S	★★	132	105	218 A2	TL	24



ETSM



LHD

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
10.00R20	L4S	★★	45	35.5	166 A2	TT/TL	270
12.00R20	L5S	★★	59	46.5	171 A2	TT	202
17.5R25	L5S	★★	80	63.5	182 A2	TT/TL	76
18.00R25	L5S	★★	99	78.5	204 A2	TL	44
26.5R25	L5S	★★	111	88.5	209 A2	TL	28
29.5R25	L5S	★★	124	98.5	216 A2	TL	24
29.5R29	L5S	★★	124	98.5	218 A2	TL	24
35/65R33	L5S	★★	121	96	224 A2	TL	18



TKUM II



LHD



Underground Utility Vehicle

Size	TRA Code	Ply Rating	Rim Width & Flange	Tread Depth		Type	Stuffing Qty/40HQ
				32nds	mm		
10.00-20	L5S	18	7.5	73	58	TT	280
12.00-20	L5S	28	8.5	84	67	TT	170
12.00-24	L5S	24	8.5	89	55	TT	160
14.00-24	L5S	28	10.0	97	77	TT	100
17.5-25	L5S	24	14.00-1.5	103	82	TT/TL	64



ETDL5



LHD

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
17.5R25	L5S	★★★	83	65.5	193 A2	TL	64
26.5R25	L5S	★★	118	93.5	209 A2	TL	28
29.5R25	L5S	★★	127	101	216 A2	TL	24
29.5R29	L5S	★★	127	101	218 A2	TL	24
35/65R33	L5S	★★★★	120	95	225 A8/229 A2	TL	18



ETD2S



Underground Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
26.5R25	L5	★★	106	84.5	209 A2	TL	28

LHD & UNDERGROUND TRUCK



ETD2
Underground Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
29.5R25	L5S	★★	116	92	216 A2	TL	24
29.5R29	L5S	★★	116	92	218 A2	TL	24



ETNT
LHD
Underground Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
26.5R25	E4	★★	69	55	193 B	TL	34
29.5R25	E4	★★	69	55	200 B	TL	24
29.5R29	E4	★★	73	58	202 B	TL	24
35/65R33	E4/L4	★★★★	76	60.5	225 A8/229 A2	TL	18



TKPORTH
Underground Utility Vehicle

Size	TRA Code	Ply Rating	Tread Depth		Type	Stuffing Qty/40HQ
			32nds	mm		
12.00-20	E4	24	57	45	TT	170
12.00-24	E4	24	68	54	TT	160
14.00-24	E4	28	72	57	TT	90
14.00-25	E4	28	72	57	TT/TL	90
16.00-25	E4	32	78	62	TT	64
18.00-25	E4	36	78	62	TT	64



ETD2S
Wheel Loader
Wheel Dozer
Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
20.5R25	L5	★★	88	70	193 A2	TL	48
23.5R25	L5	★★	94	75	201 A2	TL	36
26.5R25	L5	★★	106	84.5	209 A2	TL	28



ETST
LHD
Underground Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
14.00R24	E4/L4	★★★	44	35	176 A4	TT	102
18.00R25	E4	★★	59	47	199 A4	TL	44



TKUS
Underground Utility Vehicle

Size	Ply Rating	Tread Depth		Type	Stuffing Qty/40HQ
		32nds	mm		
9.00-20	14	30	24	TT	316
12.00-20	24	48	38	TT	208



ETDL5
Wheel Loader
Wheel Dozer
Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
17.5R25	L5	★★	83	65.5	182 A2	TL	64
20.5R25	L5	★★	96	76	193 A2	TL	48
23.5R25	L5	★★	106	84.5	201 A2	TL	36
26.5R25	L5	★★	118	93.5	209 A2	TL	28
29.5R25	L5	★★	127	101	216 A2	TL	24
29.5R29	L5	★★	127	101	218 A2	TL	24
35/65R33	L5	★★★★	120	95	225 A8/229 A2	TL	18



ETD2
Wheel Loader
Wheel Dozer
Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
29.5R25	L5	★★	116	92	216 A2	TL	24
29.5R29	L5	★★	116	92	218 A2	TL	24



ETUM
LHD
Underground Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
18.00R25	E4/L4	★★	68	54	186 A4/195 A2	TT/TL	64



4KLIFT-D
Underground Utility Vehicle

Size	Ply Rating	Tread Depth		Type	Stuffing Qty/40HQ
		32nds	mm		
8.25-15	16	40	32	TT	60



ETDL5S
Wheel Loader
Wheel Dozer
Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
20.5R25	L5	★★	86	68.5	193 A2	TL	56
23.5R25	L5	★★	94	75	201 A2	TL	36
26.5R25	L5	★★	106	84.5	209 A2	TL	28
29.5R25	L5	★★	117	92.5	216 A2	TL	24



MATE D2S
Wheel Loader
Wheel Dozer
Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
20.5R25	L5	★★	87	69	193 A2	TL	49
23.5R25	L5	★★	89	71	201 A2	TL	42
26.5R25	L5	★★	101	80	209 A2	TL	35
29.5R25	L5	★★	112	89	216 A2	TL	24

LOADER, DOZER & GRADER (L5)



PROADT

ADT
Wheel Loader

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
23.5R25	E3/L3	★★	46	36.5	185 B/201 A2	TL	44
26.5R25	E3/L3	★★	53	42	193 B/209 A2	TL	35
29.5R25	E3/L3	★★	54	43	200 B/216 A2	TL	25



SUPER ADT

ADT
Wheel Loader
Scraper

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
29.5R25	E4	★★	82	65	200 B	TL	25
33.25R29	E4	★★	84	67	209 B	TL	17



PROADT

ADT
Wheel Loader

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
23.5R25	E3/L3	★★	46	36.5	185 B/201 A2	TL	44
26.5R25	E3/L3	★★	53	42	193 B/209 A2	TL	35
29.5R25	E3/L3	★★	54	43	200 B/216 A2	TL	25



ETGRADER

Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
16.00R24	G2	★★	33	26	163 A8	TL	80



ETADT

ADT
Wheel Loader

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
23.5R25	E4	★★	59	47	185 B	TL	44
26.5R25	E4	★★	64	50.5	193 B	TL	35
29.5R25	E4	★★	70	55.5	200 B	TL	25
29.5R29	E4	★★	70	55.5	202 B	TL	24
600/65R25	E3/L3	★★	43	34.5	178 B/187 A2	TL	54
650/65R25	E3/L3	★★	47	37	180 B/193 A2	TL	50
750/65R25	E3/L3	★★	54	43	190 B/202 A2	TL	29
875/65R29	E3/L3	★★	64	51	203 B/214 A2	TL	19



MATE-S L3

Wheel Loader
Wheel Dozer
Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
17.5R25	E3/L3	★★	34	27	167 B/182 A2	TL	90
20.5R25	E3/L3	★★	37	29	177 B/193 A2	TL	64
23.5R25	E3/L3	★★	43	34	185 B/201 A2	TL	44
26.5R25	E3/L3	★★	47	37	193 B/209 A2	TL	35



ETADT

ADT
Wheel Loader

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
600/65R25	E3/L3	★★	43	34.5	178 B/187 A2	TL	54
650/65R25	E3/L3	★★	47	37	180 B/193 A2	TL	50
750/65R25	E3/L3	★★	54	43	190 B/202 A2	TL	29
875/65R29	E3/L3	★★	64	51	203 B/214 A2	TL	19



ETGRADER2

Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
14.00R24	G2/L2	★★	31	25	155 A8	TL	122



FORT ADT

ADT
Wheel Loader

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
23.5R25	E4/L4	★★	67	53.5	185 B/201 A2	TL	44
26.5R25	E4/L4	★★	67	53.5	193 B/209 A2	TL	32
29.5R25	E4/L4	★★	70	55.5	200 B/216 A2	TL	24



MATE E3L3

Wheel Loader
Wheel Dozer
Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
15.5R25	G3/L3	★★	33	26	161 A8/176 A2	TL	100
17.5R25	G3/L3	★★	33	26	162 A8/182 A2	TL	83
20.5R25	E3/L3	★★	40	32	177 B/193 A2	TL	64
23.5R25	E3/L3	★★	44	35	185 B/201 A2	TL	44
26.5R25	E3/L3	★★	45	36	193 B/209 A2	TL	35



MATE G2

Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
14.00R24	G2	★★	31	25	155 A8	TL	113



SNOWKING

Wheel Loader
Wheel Dozer
Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
17.5R25	E2/L2	★★	35	28	167 B/182 A2	TL	90
20.5R25	E2/L2	★★	39	31	177 B/193 A2	TL	64
23.5R25	E2/L2	★★	43	34	185 B/201 A2	TL	44

LOADER, DOZER & GRADER (G2 G3 L2 L3)



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
14.00R24	E2	★★★	28	22	170 E	TT	116
14.00R25	E2	★★★	28	22	170 E	TL	116
16.00R25	E2	★★★	33	26.5	177 E	TL	80
15.5R25	E2	★★	30	24	160 B	TL	100
26.5R25	E2/L2	★★	45	35.5	193 B	TL	35
29.5R25	E2/L2	★★	53	42	200 B	TL	25



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
17.5R25	E2/L2	★★	35	28	167 B/182 A2	TL	83
20.5R25	E2/L2	★★	39	31	177 B/193 A2	TL	64
23.5R25	E2/L2	★★	43	34	185 B/201 A2	TL	44



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
17.5R25	E2/L2	★★	31	25	167 B/182 A2	TL	83
20.5R25	E2/L2	★★	35	28	177 B/193 A2	TL	64
23.5R25	E2/L2	★★	39	31	185 B/201 A2	TL	44

ALL TERRAIN CRANE



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
385/95R24	E2	★★★	28	22	170 F	TT	116
385/95R25	E2	★★★	28	22	170 F/170 G	TL	116
445/95R25	E2	★★★	31	25	174 F	TL	80
445/80R25	E2	★★★	31	25	170 F	TL	90



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
385/95R25	E2	★★★	28	22	170 F	TL	116



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
525/80R25	E2	★★★	35	28	177 F	TL	64



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
505/95R25	E2	★★★	34	27	186 E	TL	44
525/80R25	E2	★★★	38	30	177 F	TL	64



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
385/95R25	E2	★★★	29	23	170 E	TL	116



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
505/95R25	E2	★★★	34	27	186 E	TL	44
525/80R25	E2	★★★	38	30	177 F	TL	64



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
385/95R25	E2	★★★	29	23	170 E	TL	116

SPECIAL



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
24R20.5	E7	16	26	21	176 F	TL	54



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
24R20.5	E7	16	24	19	176 F	TL	54




ETMT



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
24R21	E7	16	29	23	176 G	TL	54




TKPORTH



Size	TRA Code	Ply Rating	Tread Depth		Type	Stuffing Qty/40HQ
			32nds	mm		
12.00-20	IND4	24	57	45	TT	170
12.00-24	IND4	24	68	54	TT	160
14.00-24	IND4	28	72	57	TT	90
14.00-25	IND4	28	72	57	TT/TL	90
16.00-25	IND4	32	78	62	TT	64
16.00-25	IND4	36	78	62	TT	64




ETPORTM



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
12.00R20	IND4	★★	50	40	176 A5	TT	175
12.00R24	IND4	★★	50	40	178 A5	TT/TL	148




TKPORTH II



Size	TRA Code	Ply Rating	Tread Depth		Type	Stuffing Qty/40HQ
			32nds	mm		
18.00-25	IND4	40	86	68	TL	42
18.00-33	IND4	40	87	69	TL	38



ETPORTM+



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol	Type	Stuffing Qty/40HQ
			32nds	mm			
14.00R24	IND4	★★★	79	62.5	196 A5	TL	80

